

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB05/000135

International filing date: 17 January 2005 (17.01.2005)

Document type: Certified copy of priority document

Document details: Country/Office: GB
Number: 0401113.6
Filing date: 19 January 2004 (19.01.2004)

Date of receipt at the International Bureau: 17 February 2005 (17.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



POT/GB2005/000135



INVESTOR IN PEOPLE


The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Andrew Gensy

Dated 31 January 2005






1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

19 JAN 2004

JFR/JDS/GB60684P

20JAN04 EB66503-2 002029

PO1/7700 0.00-0401113.6 NONE

2. Patent application number

(The Patent Office will fill this part in)

0401113.6

3. Full name, address and postcode of the or of each applicant (underline all surnames)

00473587003

Patents ADP number (if you know it)

If the applicant is a corporate body, give the country/state of its incorporation

GLAXO GROUP LIMITED
GLAXO WELLCOME HOUSE
BERKELEY AVENUE
GREENFORD
MIDDLESEX, UB6 ONN
GB

GB

4. Title of the invention

Tooth Whitening Composition

5. Name of your agent (if you have one)

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

Corporate Intellectual Property

GLAXOSMITHKLINE
CORPORATE INTELLECTUAL PROPERTY (CN9 25.1)
980 GREAT WEST ROAD
BRENTFORD
MIDDLESEX
TW8 9GS

Patents ADP number (if you know it)

08072555004

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number
(if you know it)

Date of filing
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application

Date of filing
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Otherwise answer NO (See note d)

Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description 11

Claim(s) 2

Abstract

Drawing(s)

RM

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s) Julie F. Reeves (Mrs)

J. F. Reeves

Date 19 January 2004

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

Julie F. Reeves
Julie.f.reeves@gsk.com

020 8047 4456

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

TOOTH WHITENING COMPOSITION

The present invention relates to a tooth whitening composition for bleaching tooth
5 enamel. Specifically the present invention relates to an anhydrous tooth whitening
composition comprising a peroxide.

White teeth have long been considered cosmetically desirable. Unfortunately, teeth
almost invariably become discoloured in the absence of intervention. The tooth
10 structure which is generally responsible for presenting a stained appearance is the
enamel layer. Several factors contribute to enamel discoloration, but the three main
factors are believed to be: (i) formation of plaque and tartar matrices on the tooth
surface which then entraps stains; (ii) ingestion of certain drugs during gestational
tooth formation; and (iii) discoloration due to oral cavity traumatization following
15 which blood break-down products seep into the mineralized area of the teeth during
enamel formation. This invention is primarily concerned with the first factor of
tooth discoloration, that is, the natural stain which accumulates on teeth.

Over-the-counter teeth whitening preparations have been developed to address the
20 cosmetic preference of many to restore luster to tooth enamel discolored by surface
entrapped materials. While all dentifrices and mouthwashes contain some cleaning
and polishing agents, some enamel deposits become intractable to being fully
removed by these agents under normal use conditions. For example, smokers often
develop discolored enamel because the tars and particulate in exhaled cigarette
25 smoke collect on the teeth. Further, a number of comestibles, such as tea, or some
medicinal agents, can stain or discolor tooth enamel.

There are various approaches to enamel whitening currently in general use. One
approach is a physical abrading of the stain to effect stain removal. Harsher
30 abrasives, also known as polishing agents, than those used in typical non-whitening
toothpaste preparations, are employed in this approach. Most, if not all of these
preparations are toothpastes, gels or powder dentifrices. The mechanical process

may be supplemented or even replaced by a chemical process which may involve an oxidative or enzymatic step to effect stain removal.

5 The chemical process generally utilizes a tooth whitening or bleaching formulation applied to a stained tooth surface for a specified period, after which the formulation is removed. Oxidizing agents represent one of the most widely distributed and utilized active agents in commercially available tooth whitening or bleaching products. Peroxide-containing agents such as carbamide peroxide, hydrogen peroxide and calcium peroxide are the most commonly used oxidizing agents, and
10 are typically formulated into a liquid, solution, gel or paste. However it is known that products containing such agents may lose their whitening efficacy with time. In addition aqueous peroxide formulations may have only a brief period of efficacy when applied to teeth in the oral cavity because of rapid decomposition of peroxide on exposure to the enzyme, catalase, present in high concentrations in saliva.
15 Moreover low viscosities of aqueous peroxide solutions do not allow the peroxide whitening agent to remain in contact with teeth for the necessary time period to effect substantive whitening because of constant flushing effects of salivary secretions. WO 03/099246 (Colgate-Palmolive) aims to address these problems with the provision of an aqueous tooth whitening liquid composition comprising an
20 orally acceptable vehicle comprising water and monohydric alcohol having dispersed therein a film forming combination of a poly(ethylene oxide) and a carbomer. However there remains a need for alternatives that do not suffer drawbacks encountered with known formulations. Moreover it would be desirable to provide simple formulations that do not require extensive stabilization, that are easy to
25 manufacture and are sufficiently substantive and robust to enable once-a-day application.

It is an object of the present invention to provide a composition that meets these requirements. This object is met according to the invention by the provision of an
30 anhydrous liquid tooth whitening composition comprising a peroxide-containing compound and an orally acceptable carrier wherein the carrier includes a humectant,

a bioadhesive agent, and a film-forming agent consisting essentially of a water-insoluble film-forming agent and a solvent for the film-forming agent.

5 The composition of the invention is essentially anhydrous. Water or an aqueous medium is not used as a carrier or vehicle in the composition. Whilst free water is not added to the composition, it will be understood that small amounts of water, i.e. less than 5% w/w, preferably less than 3% w/w, may be present as a result of being introduced with other materials e.g. by using a "stock" hydrogen peroxide aqueous solution such as a 30% w/w hydrogen peroxide solution.

10

The composition of the invention is suitably in the form of a varnish that may conveniently be painted onto the teeth. Following its application, the composition dries *in situ* to form an adherent film which sticks firmly to the teeth. The film is sufficiently strong and adherent to remain on the teeth for a period of time e.g. up to 15 a few hours or even longer e.g. up to twelve hours or more. Suitably the composition is applied at night time, allowing peroxide activity to take place during sleep periods. During use, the peroxide is released slowly from the film, in an amount and at such a rate as required to effect stain removal. The film may be removed from the user's teeth by any convenient means e.g. brushing and/or by 20 rinsing with a mouthwash.

The term "painted onto the teeth" above is intended to encompass all manner of applying the whitening composition to teeth and includes sponging, coating, daubing, spraying, wiping and rubbing. Preferably the composition is applied to the 25 teeth with a soft applicator brush. Suitably the composition is housed in a container such as a bottle, and the composition is applied with a soft applicator brush. The bottle and brush may be provided in kit form e.g. as may be used with a conventional nail varnish kit. Alternatively the composition may be housed in a dispensing device such as a pen with an applicator brush attached thereto e.g. 30 generally of the type used with the Brite Smile To Go™ Whitening pen.

Peroxide-containing compounds used as whitening agents in the present invention include the following compounds and mixtures thereof: hydrogen peroxide e.g. as a 30%w/w aqueous solution, carbamide peroxide, calcium peroxide, percarbonates and hydrogen peroxide polymer complexes for example hydrogen peroxide
5 complexes with solid linear or crosslinked poly(-vinyl-pyrrolidone) (PVP) homopolymers and its copolymers, such as Peroxydone™ K30, Peroxydone™ K90, Peroxydone™ XL10; and hydrogen peroxide complexes with copolymers of vinyl-pyrrolidone and vinyl acetate, such as Plasdone® S-630. These various Peroxydone™ and Plasdone® polymers are available from International Specialty
10 Products (ISP), 1361 Alps Road, Wayne, New Jersey 07470, US.

Mixtures of different peroxide sources, as hereinabove described, may be used to provide variable peroxide release. For example both immediate and slow release peroxide may be achieved by using a combination of aqueous hydrogen peroxide
15 and carbamide peroxide and/or hydrogen peroxide complexes with solid vinyl-pyrrolidone (VP) polymers. Carbamide peroxide, and mixtures of carbamide peroxide with hydrogen peroxide (30% aqueous solution) and optionally with a hydrogen peroxide complex with vinyl-pyrrolidone e.g. Peroxydone™ hydrogen peroxide polymer complexes e.g. Peroxydone™ K90, are preferred.

20 Suitably the total amount of peroxide present in the liquid whitening composition of the invention is in the range of 1 to 30% w/w, preferably in the range 2 to 20%w/w, even more preferably in the range 3 to 10%w/w.

25 A humectant is a key component of a composition of the invention. It has been found that the absence of a humectant results in the formation of brittle and fragile films that cannot be adequately spread onto teeth. Suitable humectants include the following and mixtures thereof: glycerin, sorbitol, propylene glycol, sugars such as glucose or sucrose, and low molecular weight polyethylene glycols (PEGs) i.e. in
30 the range 200-600 e.g. PEG 200, 300, 400, and 600, available from Dow

Chemicals USA, PO Box 1206, Midland MI48642. Preferred humectants include glycerin and PEGs.

Suitably the humectant is present in an amount ranging from 0.5 to 30% w/w,
5 preferably in the range 1 to 15% w/w.

A bioadhesive agent is included in a composition of the invention. The bioadhesive agent enhances substantivity of the composition to teeth. Suitably the bioadhesive agent of the invention exhibits mucoadhesive behaviour i.e. it has an affinity for
10 biological surfaces such as teeth. Examples of suitable bioadhesive agents include carbomers, copolymers of methyl vinyl ether and maleic anhydride, natural gums, vinyl-pyrrolidone polymers and copolymers and mixtures thereof.

Carbomers are synthetic high molecular weight polymers of acrylic acid that are
15 crosslinked with either allylsucrose or allylethers of pentaerythritol. Carbomers sold under the trade name "Carbopol®", available from Noveon Inc, 9911 Brecksville Road, Cleveland, Ohio 44141-3247, are preferred and include Carbopol® 934 or 974, 940, 941, 980 and Ultrez 10™. Other suitable carbomers include partially neutralized carbomers e.g. PNC400, available from 3V Sigma, PO
20 Box 219, Via Torquato Tasso, 58,24100, Bergamo, Italy and carbomer copolymers such as crosslinked copolymers of acrylic acid with alkylacrylate where the alkyl chain is C10-30 e.g. Pemulen TR1 and Pemulen TR2, available from Noveon Inc. as above.

25 Copolymers of methyl vinyl ether and maleic anhydride are available commercially in a range of molecular weights under the trade name "Gantrez®" (ISP), specifically Gantrez® AN. Other Gantrez® copolymers that may be used include the free acid form of the Gantrez® AN available as Gantrez® S, a mixed sodium and calcium salt of Gantrez® S available as Gantrez® MS, and half ester
30 derivatives of Gantrez® S available as Gantrez® ES.

Natural gums such as gum karaya, xanthan gum, guar gum, arabic gum tragacanth are also suitable bioadhesive agents. Xanthan gum is especially preferred and has been found to impart surprisingly good substantivity properties to compositions of the invention.

5

Suitable vinyl-pyrrolidone polymers include poly(-vinyl-pyrrolidone) (PVP) and cross-linked PVP. A suitable copolymer as hereinbefore described includes Plasdone® S-630. PVP is a preferred polymer, in particular a high molecular weight PVP e.g. in the range 1,300,000 e.g. Plasdone® K-90.

10

Preferably the bioadhesive agent is selected from xanthan gum, a carbomer and PVP and mixtures thereof. Even more preferably the bioadhesive agent is a mixture of a carbomer such as a Carbopol and a high molecular weight PVP e.g. Plasdone® K-90.

15

Suitably the bioadhesive agent is present in an amount ranging from 0.5 to 30% w/w, preferably from 1 to 20% w/w.

20

On application to teeth, the film-forming component of the composition forms a protective film or barrier which retains the other components, i.e. excipients and the peroxide-containing compound, of the composition in a matrix-type environment.

25

The only component which is not retained is the solvent for the film-forming agent which evaporates from the site of application. Suitably the film-forming component of the composition consists essentially of a water-insoluble film-forming agent such as a water-insoluble microcrystalline cellulose, e.g. ethyl cellulose, a poly(urethane) or a poly(acrylamide). Ethyl cellulose is a preferred film-forming agent. Suitably the film-forming component is present in an amount ranging from 5 to 30% preferably 10 to 25% w/w.

30

A solvent is required for the film-forming agent. The solvent is a carrier for the film-forming agent. During use the solvent rapidly evaporates to leave a highly substantive film on the teeth. The deposited film is comprised of a peroxide, a

humectant, a bioadhesive agent and a water-insoluble film-forming agent. Examples of suitable solvents include monohydric alcohols such as ethanol or isopropyl alcohol. Suitably the solvent is present in an amount ranging from 30 to 80%, preferably 40 to 70% w/w.

5

Additionally, compositions of the present invention will suitably contain acceptable additives or excipients conventional in the field of oral care products including for example chelating agents such as ethylenediaminetetraacetic acid and/or citric acid, colouring agents, flavouring agents, a fluoride source such as sodium fluoride or sodium monofluorophosphate, an antisensitivity agent such as strontium or potassium salts e.g. strontium chloride, and sweetening agents. The additives or excipients used in any given composition will be compatible both with each other and with the essential ingredients of the composition such that there is no interaction which would impair the performance of the active ingredients. All additives or excipients must of course be non-toxic and of sufficient purity to render them suitable for human use.

The liquid whitening compositions of the present invention are prepared by adding and mixing the ingredients of the composition in a suitable vessel such as a stainless steel tank provided with a mixer. In the preparation of the composition the ingredients are suitably added to the mixer in the following order: peroxide, chelating agents (if used), humectant, solvent for the film-forming agent to form a solution. The film-forming agent is then added, followed by addition of the bioadhesive agent. The whitening composition prepared is then suitably packaged and stored as required.

Advantageously the composition of the invention is suitably prepared in the form of a "single component" system i.e. all components of the whitening composition, i.e. excipients and the peroxide-containing compound, are self-contained in a desired pre-mixed proportion. Accordingly there is no requirement for the components of the composition to be physically separated from each other prior to use in order to avoid any undesirable interactions, as may occur with some peroxide-containing

formulations. In a second aspect of the invention there is provided a kit of parts comprising an anhydrous liquid tooth whitening composition as hereinbefore described, a container for housing the composition and an applicator for applying the composition to teeth to be whitened.

5

In an alternative aspect there is provided a method of whitening teeth comprising:

- a. preparing a tooth whitening composition as hereinbefore described;
- b. painting the composition onto teeth to be whitened, suitably at night-time
- c. maintaining the composition in contact with the teeth for a plurality of hours
10 per day e.g. up to twelve hours per day,
- d. repeating steps b and c for multiple days e.g. up to fourteen days, to thereby
whiten the teeth.

15

The present invention is illustrated by the following examples but is not limited thereby.

Example 1

A whitening composition was prepared having the following ingredients:

Ingredient	%w/w
Glycerin	3.00
Ethanol	67.00
Carbamide peroxide	3.00
Hydrogen peroxide (30%)	3.00
Peroxidone K-90	10.00
Ethyl cellulose	14.00
Total	100.00

Example 2

- 5 A whitening composition was prepared having the following ingredients:

Ingredient	%w/w
Glycerin	4.00
Ethanol	66.00
Carbamide peroxide	3.00
Hydrogen peroxide	3.00
Peroxidone K-90	11.00
Xanthan gum	2.00
Ethyl cellulose	11.00
Total	100.00

Example 3

A whitening composition was prepared having the following ingredients:

Ingredient	%w/w
Carbamide peroxide	17.00
Ethanol	45.00
Ethyl cellulose	15.00
Carbopol 974P NF	1.00
Glycerin	22.00
Total	100.00

Determination of Bleaching Effects using Bovine Enamel Night Time Whitening Model

Introduction

- 5 The bleaching effects of compositions disclosed in Examples 1-3 above were determined and compared to the bleaching effects observed with a commercially available preparation (a whitening product available as "Crest Night Effects").

Method

- 10 Bovine teeth were used and L^* (from the CIE 1976 $L^*a^*b^*$ colour space scale) was measured at the start of the experiment using a spectrophotometer. Formulations were applied to the teeth and these were placed into a container such that a liquid substantivity challenge was applied to the treated teeth. At the end of the treatment time the teeth were rinsed and dried and L^* was remeasured using a
- 15 spectrophotometer. This method was repeated for a number of days to mimic in-vivo nighttime use of the product. At the end of the experiment the overall change in L^* i.e. ΔL was calculated.

Results

20

Sample	ΔL after 12hrs treatment
Example 1	4.49
Example 2	5.55
Example 3	3.31
Crest Night Effects	4.02
Deionised water	-1.83

Conclusions

- The results indicate that change in 'L' after 12 hours treatment was comparable to
- 25 that observed with a commercially available nighttime product. The results are illustrated graphically in Figure 1.




Figure 1

Claims

1. An anhydrous liquid tooth whitening composition comprising a peroxide-containing compound and an orally acceptable carrier wherein the carrier includes a humectant, a bioadhesive agent, and a film-forming component consisting essentially of a water-insoluble film-forming agent and a solvent for the film-forming agent.
5
2. An anhydrous liquid tooth whitening composition according to claim 1 wherein the peroxide is selected from carbamide peroxide, and mixtures of carbamide peroxide with hydrogen peroxide and/or a hydrogen peroxide complex with vinyl pyrrolidone.
10
3. An anhydrous liquid tooth whitening composition according to claim 1 or claim 2 wherein the humectant is glycerin.
15
4. An anhydrous liquid tooth whitening composition according to any one of claims 1 to 3 wherein the bioadhesive agent is selected from xanthan gum, a carbomer and PVP and its copolymers and mixtures thereof.
20
5. An anhydrous liquid tooth whitening composition according to any one of claims 1 to 4 wherein the film forming agent is ethyl cellulose.
6. An anhydrous liquid tooth whitening composition according to any one of claims 1 to 5 wherein the solvent is ethanol.
25
7. A kit of parts comprising an anhydrous liquid tooth whitening composition according to any one of claims 1 to 6, a container for housing the composition and an applicator for applying the composition to teeth to be whitened.
30
8. A method of whitening teeth comprising:

- a. preparing a tooth whitening composition according to any one of claims 1 to 6;
- b. painting the composition onto teeth to be whitened;
- c. maintaining the composition in contact with the teeth for a plurality of hours per day; and then
- d. repeating steps b and c for multiple days to thereby whiten the teeth.

5

10

15

